EPSON®
EXCEED YOUR VISION

BrightLink Products

www.epson.com/brightlink

Eco Features

- Energy-efficient 3LCD light engine
- Designed to be recycled[5]
- Epson America, Inc. is a SmartWay℠ Transport Partner[6]

SmartWay℠ Transport Partner
Getting There With Cleaner Air

Better Products for a Better Future™

For more information on Epson's environmental programs, go to eco.epson.com

Epson America, Inc.
3840 Kilroy Airport Way, Long Beach, CA 90806

Epson Canada Limited
185 Renfrew Drive, Markham, Ontario L3R 6G3

www.epson.com
www.epson.ca

Specifications subject to change without notice. Epson, EasyMP, E-TORL and Instant Off are registered trademarks, Epson Exceed Your Vision is a registered logomark and Better Products for a Better Future is a trademark of Seiko Epson Corporation. BrightLink, Brighter Futures and PrivateLine are registered trademarks, BrightLink Solo is a trademark and Epson Connection is a service mark of Epson America, Inc. SmartWay is a service mark of the U.S. Environmental Protection Agency. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2011 Epson America, Inc. CPD-33555 2/11

Interactive Projector and Interactive Module

Simple Solutions

Interactivity made easy and affordable

In the past, you needed a projector and an interactive whiteboard to create an interactive learning environment. Now, you can make almost any wall interactive with BrightLink Interactive Solutions.

BrightLink 455Wi projector

The BrightLink 455Wi + pen combination integrates interactive functionality in one machine without the constraints or expense of an interactive whiteboard. With an ultra-short throw distance, extraordinary size flexibility and a full set of powerful projector technologies, BrightLink redefines a true all-in-one solution and enables you to engage your learning community.



BrightLink Solo™

Add interactivity to any brand of currently installed projectors. Compatible with new or existing projectors, BrightLink Solo is an interactive module that connects directly to your computer, via a USB cable. Transform virtually any standard projected image into an interactive one.



Ultra big and wide

- Create one of the largest interactive areas without paying a premium for size
- Get an interactive area up to 96" diagonal (WXGA)

Ultra flexible

- Select the size to match your needs and maximize available space
- Interactive image size can be set anywhere from 59" up to 96" diagonal (native WXGA)

Ultra versatile

- Maximize the value of classroom real estate
- Project on preinstalled standard whiteboards or use a plain wall
- Transform a table into an interactive table. See **www.epson.com/BL455table** for details

Ultra-short throw

- New high performance optics virtually eliminate hardware and shadow interference
- Wall mount included for easier installation and classrooms with limited space

Ultra bright and full-featured

- 2500 lumens color light output, 2500 lumens white light output[1]
- Energy efficient E-TORL® lamp delivers more lumens per watt
- RS-232 and RJ-45 connectivity, plus built-in 12 W speaker
- Content over IP capabilities, message broadcasting and easy remote monitor/control

Easy integration

- Interacts with various devices, widgets, wikis, apps and software that come into the classroom
- Cross-compatible with most instructional software applications
- Advanced connectivity features to service all your growing needs
- Onsite and free online tutorials and courses available

Recalculate your spending

- Outfit more classrooms faster, and use the cost savings to purchase something else on your technology wish list
- Compare costs and see why BrightLink is the product to know about before buying interactive whiteboard systems

"We found that this was probably the best fit and best technological solution for our needs. The quality of the image being projected and the sensitivity of the pen stylus are superb."

— **Robin McNaughton,**
District Manager of Computer Services

Interactive Table Mode*

Expand the possibilities. Now, you can transform a table into an interactive table. With the flexibility of BrightLink, you have the choice to wall or table install BrightLink (table mount not included).

Educators can now use BrightLink in small-group learning centers. Schools of Animation, Architecture or Engineering may use BrightLink as student workstations.

For details on how to turn BrightLink from an i-wall to an i-table, visit **www.Epson.com/BL455table** For information on the interactive mount, visit **www.interaktable.com**

Image simulated

*Interactive Table Mode cannot operate without a mount specifically designed for this purpose. The wall mount included with BrightLink 455Wi is NOT an Interactive Table mount. A suitable table mount will be available soon through Copernicus Educational Products. Please visit Epson.com/BL455table for more information about the Interactive Table Mode.

Direct access to Windows® Ink Tools

When using Microsoft® tablet features and ink tools, BrightLink will automatically engage those tools, bringing them front and center for your use with the projector. (See recommended computer requirements)

Windows Ink Tools

What's included: Everything you need from installation to instruction for one low price

- Ultra-short throw, WXGA projector
- Wall mount (included at no additional cost)
- 2 interactive pens, rechargeable batteries and battery charger
- 15' VGA, 16.4' USB and 16.4' power cable
- Full edition TeamBoard Draw annotation software for Windows and Mac®
- Epson's advanced networking and monitoring software
- BrightLink Welcome Tool Kit — designed to quickly get end users comfortable with BrightLink; includes videos, webinars and cool tools
- Service and support you can rely on

Additional bells and whistles

- Pen tray to store both BrightLink pens. The tray is magnetic for immediate attachment or comes with screws to install it
- New 12 W speaker, 18% louder than the 450Wi
- New electrostatic filter designed to extend the life of the filter up to 5000 hours[4]

Turn any installed projector into an interactive projector

BrightLink Solo works together with any new or existing projector. This lightweight, interactive module comes with a pre-attached arm and mount, and requires just a few screws (included) to secure it into place. Simply install BrightLink Solo, connect it directly to a Windows or Mac computer via USB and transform virtually any standard projected image into an interactive one. BrightLink Solo offers powerful interactive functionality, even when used with long-throw and ceiling-mounted projectors. And, just like its sister product, BrightLink Solo comes with everything you need from installation to instruction.

BrightLink Solo features/benefits

- Affordable interactive solution — premium interactive whiteboard quality and functionality, at a fraction of the price
- The practical way to maximize classroom space — works with your new or existing projector, plus any plain wall or standard whiteboard
- Maximize your interactive area — set the size, as needed, without being limited by the budget; up to 96" (WXGA) or 102" (XGA)
- Easy installation — mounts on a flat wall with just a few simple steps (wall mounting plates included)
- Everything you need to get started — includes two interactive pens with rechargeable batteries and charger, a pen tray, and easy-to-use interactive annotation software
- Easy integration — cross-compatible with most instructional software applications; optional RM EasiTeach™ solution also available

BrightLink mobile cart

Streamline your presentation setup with this affordable, portable cart. Designed specifically for an Epson ultra-short throw projector, whiteboard and laptop, it comes equipped with locking wheels and a folding projector arm, so it can be quickly and conveniently rolled from classroom to classroom.

BrightLink 455Wi interactive table mount from Copernicus



Transform regular tabletop surfaces into fully interactive teaching centers. For additional information, please visit **www.interaktable.com**

Cable management kit

Add a professional finish to any classroom with this convenient kit that makes it easy to hide unsightly cables and wires.

Height-adjustable wall mount (available in 4:3 and 16:10)

This convenient mount supports whiteboards up to 96" for 16:10 presentations and whiteboards up to 85" for 4:3 presentations. The wall mounting hardware and bracket are included.

96" whiteboard



This large whiteboard comes with brackets for wall-mount installations. It also includes four dry erase pens, a pen tray and a cloth to wipe off markings. (Available soon)

DC-11 document camera

The perfect tool for a dynamic learning environment, the Epson DC-11 makes it easy to display textbooks, experiments and 3D objects. Display up to two full pages with amazing clarity and detail. The DC-11 features a 5-megapixel sensor, 10x digital zoom and 30 frames-per-second video (at full resolution) for stunning image quality and performance. Capture classroom lessons like never before with the DC-11's A/V capture capability and built-in microphone. Use the included software to easily upload and post what you've captured to your favorite classroom website for students that have missed the lesson or are taking the class remotely. When it's time to share live video, as well as captured images, use BrightLink's convenient split-screen feature. With innovative teaching tools, advanced connectivity and a compact, durable design, the DC-11 is an ideal fit in any educational setting.

Getting up and running with BrightLink is easy and straightforward

Learning projector basics takes about 30 minutes or so. And, together with our partners, we offer BrightLink resources that include simple steps for interactive success.

Online, BrightLink's Educator Resource Center provides convenient access to all training resources: on-demand how-to videos, training tutorials and cool tools our community of users is discovering.

If your district seeks on-site Professional Development, Epson has options available. Check our microsite for details at **Epson.com/BrightLink**

A new three-part series of complementary webinars will teach your BrightLink users how to master the annotation tools quickly, and apply them effectively in the classroom.

Check in to see our ever-expanding collection of short video tutorials — BrightLink BrightSpots — which provide short nuggets of knowledge and allow users to watch and listen to instructions as they follow along.

Grant funding tools

Epson projectors, document cameras and sound enhancement products have been aligned to several grant funding sources. This provides educators the information they need with regard to using funds to purchase Epson products.

Alignments are currently available for:

- The School Improvement Grant (SIG)
- IDEA Part B – Grants to States
- Title I, Part A

Epson has also posted a universal grant template that includes extensive product manufacturer information, as required in grant applications.

www.epson.com/edugrant

BrightLink works with any software application your computer is running*

BrightLink is software agnostic and Web 2.0 friendly. The BrightLink pen works just like a mouse on your PC/Mac. Use it to tap and double tap, to open, close and navigate.

When you want to annotate, you have several options available.

1. For those schools already using a software suite, BrightLink is cross-compatible with pre-existing curriculum software solutions such as Promethean ActivInspire and SMART™ Notebook.

2. For those schools just getting started, Epson includes annotation software, TeamBoard Draw. This full-featured application allows you to export your file as a PDF, Powerpoint, or .IWB file. You can also record, reopen and reposition elements. It's a great, introductory way to make current activities more engaging.

3. For districts considering curriculum software, Epson has a selection available, including RM EasiTeach. Ask your Epson representative for details.

4. Annotation features can also be found inside software applications like Windows Powerpoint 2003 or later and online collaboration software.

*Although BrightLink has been tested and was generally compatible with the then current versions of Smart and Promethean software, Epson cannot warrant or guarantee any third-party software's functionality.

Interactive presentations up to 96" — brilliant widescreen performance

Why be limited to a standard size interactive whiteboard? Take advantage of one of the largest interactive learning areas available without paying a premium for size.

BrightLink can project images up to 96" in native WXGA, giving every learner a great view without straining your budget!



45% more active area than a typical 77" board (4:3 aspect ratio), 22% more area than a typical 87" board (16:10 aspect ratio) [2]

"… the day the BrightLink got here, with an adjustable surface area that could be extended, it really was a plus. When the other teachers saw it, they were jealous! Let's be honest, given the image quality and the image size, it's a real plus!"

— **Hugo Marios,**
Mathematics high school teacher

Ultra flexible

While interactive whiteboards are limited to a predetermined height and width, BrightLink has no such constraints. Set the size of the interactive area to fit your available space. BrightLink's size-adjustment also means a simpler solution for technology managers. Use one type of hardware to fit in various types of spaces, and reduce the complexity and cost of managing and maintaining multiple types of equipment. And, with Epson software, EasyMP® Network Projection and EasyMP Monitor included, it is easy to monitor and control all networked Epson projectors.

Choose the size that works best for each environment

- Projected image area = interactive area
- Set it, then forget it



Variable image sizes from 59" to 96" diagonal in WXGA (16:10)



Variable image sizes from 55" to 85" diagonal in XGA (4:3)

Ultra versatile

BrightLink works on almost any surface — an existing whiteboard, a flat wall, a chalkboard with dry-erase paint, or a table. Interactive capabilities are built into the projector and not into a board, so virtually any surface will work. Teachers can keep using their dry-erase boards with BrightLink and save money by not having to hassle with uninstalling perfectly good boards. Instead, transform all those dry-erase boards into multi-function devices just by adding interactive functionality.

Find a wall or table, light it up, make it interactive

- Try using BrightLink on a variety of surfaces:

Smooth drywall

Standard whiteboard

Light wood paneling

Painted chalkboard

Foam core board

Table top

"My colleagues especially loved how I didn't have to give up my standard whiteboard. Though they can't write on their interactive boards with dry-erase markers, I can write on my board with markers. I didn't have to come up with classroom space, which I don't have, for an interactive whiteboard".

— **Lori Velazquez**
Third grade teacher

Epson's ultra-short throw design eliminates many common integration problems

Stand as close as 6" in front of the board without shadow interference or eye glare. Placed high up on the wall, BrightLink relocates potential hot spots out of the way, eliminating the need for expensive whiteboard surfaces and creating a less intrusive footprint.

Standard short throw

Project a 60" (16:10) image from 24" away

VS.

Ultra-short throw

Project an 80" (16:10) image from 10" away

Significant reductions in shadow interference

"The BrightLink's ultra-short throw technology reduces shadow interference and all but eliminates eye glare. And the picture is clear even when the lights are on."

— **Eric Sabatini**
Seventh grade teacher

Add BrightLink to your existing network for easy remote monitoring and control

The 455Wi works seamlessly with existing systems for easy and consistent management over all Epson projectors on the network. With Epson EasyMP Monitor software and Network Projection software, both included with BrightLink, users can present, monitor and manage their Epson projector fleet over the network.

Cost savings

- Maximize lamp life by using network monitor and control features to manage the power status of remotely located projectors
- Minimize downtime and increase productivity by utilizing e-mail notifications to receive information on projector error conditions, allowing IT directors to promptly schedule maintenance and parts replacement
- Use EasyMP Network Projection to conduct presentations and meetings over the web, reducing the need for and cost of travel
- Secure confidential data transmissions by utilizing advanced network security protocols, including WEP and WPA2

Higher productivity

- Expand participation by allowing up to four users to send and display data simultaneously from their PCs to any networked projector
- Use BrightLink with internet meeting applications to turn dull presentations into interactive, collaborative working sessions



Effective communication

- Present over the network to remote locations, allowing users to expand their reach and audience, resulting in better organizational communication
- Use message broadcasting to communicate important organizational announcements over the network
- Present the whole story by sending four independent images from one PC to multiple networked projectors*

*Requires optional wireless LAN adapter



Priced less than today's most popular 77" all-in-one solutions

Priced less than today's most popular 77" all-in-one solutions, with more sophisticated and robust projector technology, BrightLink is a product that educators should know about before spending money on another interactive whiteboard. Outfit more rooms faster and use the cost savings to purchase something else on your tech with list.

Leapfrog your school into the 21st century

Start your school on a new path now. If your tech spending is focused on projectors, allow your school to leapfrog into the wide world of interactive instruction with just one purchase.



Scenario
District X has $200,000 to spend on interactive whiteboards and projectors

Calculation
Average number of interactive whiteboard all-in-one solutions calculated based on publicly available education pricing data as of February 2011

Results
District X can purchase 111 BrightLink 455Wi, about 63 more units than with other all-in-one solutions

Brighter Futures®

Epson Brighter FUTURES® reliability. support. savings.

Make the most of your technology budget. Epson's Brighter Futures program is available for all K-12 and higher education institutions and educators. There are no purchasing requirements or minimums. Simply place orders with our authorized Brighter Futures resellers for Epson products included in the program.

All Brighter Futures program sales provide educators with:

- Extra warranty coverage only available through Brighter Futures
- Special treatment including replacement coverage anywhere in the U.S. and Canada with shipping both ways
- Live Epson PrivateLine® toll-free tech support

Do the math

Line		Do the Math	Epson BrightLink 455Wi	Option 1	Option 2
1	Projector cost	Put in your cost	$	$	$
2	Projector mount cost	If applicable, put in your cost	$ 0.00	$	$
3	Interactive whiteboard cost	Put in your cost	$ 0.00	$	$
4	Interactive whiteboard shipping cost	Put in your cost	$ 0.00	$	$
5	Installation cost (Projector + interactive whiteboard)	Put in your cost (Will vary with degree of complexity)	$	$	$
6	Misc. expenses	If there is anything extra you want to account for	$	$	$
7	Total product cost	Add up Lines 1 – 6	$	$	$
8	Additional costs per classroom	Subtract BrightLink Line 7 from Option 1, Line 7. Put that difference in Line 8		$	$
9	Total cost for # of classrooms	Multiply Line 7 by the total number of classrooms being outfitted	$	$	$
10	Total additional cost	Subtract BrightLink Line 9 from Option 1, Line 9. Put that difference in Line 10		$	$
11	Savings %	Divide Option 1, Line 8 by Option 1, Line 7	%	%	%

Cost Calculator

Use the cost calculator available online at www.epson.com/BrightLink
Click on the tab called Cost Calculator.

EPSON®
EXCEED YOUR VISION

The best-selling projectors in the world

Epson understands education and has a solution no matter what your teaching scenario. Built with image quality and reliability in mind, Epson projectors enhance communication and inspire collaboration, while offering a low total cost of ownership. From long-throw projectors designed for traditional educational settings to ultra-short throw and all-in-one solutions built for progressive classrooms, Epson has the model made for you.

Epson innovation

Innovation is built into our DNA and incorporates environmental leadership at every turn. While offering a low total cost of ownership, Epson focuses on building products with outstanding image quality, reliability and sustainability. In 1968, Epson built the world's first electronic mini printer bringing the desktop printer industry to life. Then in 1989, the VPJ-700 was one of the world's first color liquid crystal video projectors representing the birth of the modern projector industry. Epson creates, develops and refines its own core technology, including 3LCD chips and E-TORL lamps.

Today, on average, 3LCD projectors use 25% less electricity required per lumen of brightness when compared to 1-chip DLP systems[3]. And, our exclusive E-TORL lamps deliver more lumens per watt by maximizing both light diffraction and light leakage. Our methods to reduce heat eliminate the need for projector cool-down time. This difference translates into electricity savings, especially when you multiply these energy costs across multiple classrooms or conference rooms.

1992
First to eliminate CFCs in manufacturing

1997
Awarded Best-of-the-Best Stratospheric Ozone Protection Award

2007
Awarded WorldStart Award for environmentally conscious packaging

2008/09/10
Member Dow Jones Sustainability Index

3LCD technology — innovative technology with proven reliability

- 3 chips for full-time, vibrant color
- 25% less electricity required per lumen of brightness when compared to 1-chip DLP projectors[3]
- Over 20 years of road-tested reliability built into every projector

Energy-efficient E-TORL lamp, exclusively from Epson

- Delivers more lumens per watt and lasts up to 3500 hours[4]
- Minimizes both light diffraction and light leakage
- E-TORL lamp efficiency maximizes your presentation time, while minimizing your costs

Product Name	Product Code	UPC
BrightLink 455Wi Interactive Projector	V11H 440020	0 10343 88227 0
BrightLink 455Wi Interactive Projector with RM EasiTeach	V11H440020RM	0 10343 88230 0
Interactive Pen (ELPPN02)	V12H442001	0 10343 88167 9
Genuine Epson Lamp	V13H010L57	0 10343 87574 6
Replacement Air Filter Set	V13H134A34	0 10343 88229 4

Specifications

Projection System
Epson 3LCD, 3-chip technology

Projection Method
Front/rear/wall mount/table

Driving Method
Epson Poly-silicon TFT Active Matrix

Pixel Number
1,024,000 dots (1280 x 800) x 3

White Light Output[1]
2500 lumens (ISO 21118 standard)

Color Light Output[1]
2500 lumens

Aspect Ratio
16:10 (native), 16:9, 5:4, 4:3

Native Resolution
1280 x 800 (WXGA)

Resize
640 x 480 (VGA), 800 x 600 (SVGA),
1024 x 768 (XGA), 1152 x 864 (SXGA1),
1280 x 960 (SXGA2), 1280 x 1024 (SXGA3),
1280 x 768 (WXGA60-1), 1360 x 768 (WXGA60-2),
1440 x 900 (WXGA+), 1400 x 1050 (SXGA+),
1600 x 1200 (UXGA), 1680 x 1050 (WSXGA+)

Lamp Type
E-TORL 230 W UHE

Lamp Life[4]
Up to 3500 hours (ECO Mode)
Up to 2500 hours (Normal Mode)
Up to 2000 hours (Interactive Table Mode)

Throw Ratio Range
0.37' – 0.50' (16:10)
0.37' – 0.50' (16:9)
0.44' – 0.59' (4:3)

Size (projected area)
59" – 96" WXGA
55" – 85" XGA

Keystone Correction Manual
Vertical: ± 5 degrees

Plug 'n Play
USB Plug 'n Play for Windows 2000 or later
and Mac OS® X 10.5.1 or later

Contrast Ratio
Up to 2000:1

Color Reproduction
16.77 million colors

Dimensions (W x D x H)

14.5" x 19.0" x 6.1"
Weight:14.1 lb with slide plate
12.9 lb without slide plate

Projection Lens

Type
Manual focus

F-number	Focal Length
1.80	4.68 mm

Zoom Ratio
Digital zoom 1.0 – 1.35x

Remote Control

Features
Source search, power, aspect, color mode, volume, e-zoom, A/V mute, freeze, menu, help, auto, enter, esc

Operating Angle
Rear:
Right/left: - 55 to +55 degrees
Upper/lower: +75 to +15 degrees
Front:
Right/left: - 30 to +30 degrees
Upper/lower: 0 to +60 degrees

Operating Distance
19.7 ft (6 m)

Other

Display Performance
NTSC: 560 lines
PAL: 560 lines
(Depends on observation of the multi-burst pattern)

Input Signal
NTSC/NTSC4.43/PAL/M-PAL/N-PAL/PAL60/SECAM

Interfaces
Computer/component video:
D-sub 15 pin x 2
S-video: Mini DIN x 1
Composite video: RCA x 1
Audio in x 3 (RCA (L&R) x 1, mini stereo x 2)
microphone in x 1
Variable audio out: mini stereo x 1
LAN networking: RJ-45 x 1
Serial: RS-232c x 1
Monitor out: D-sub 15 pin x 1
USB Type B x 1 (USB display, interactive pen, wireless mouse)
USB Type A x 1 (USB memory device)
Wireless port 802.11 a/b/g
(optional module sold separately)

Speaker
12 W monaural

Operating Temperature
41 ˚ to 95 ˚F (5 ˚ to 35 ˚C)

Power Supply Voltage
100 – 240 V ±10%, 50/60 Hz

Power Consumption
363 W (Normal)
268 W (ECO Mode)
Network on: 10 W standby
Network off: 0.3 W standby
Direct Power on/off
Instant Off®

Fan Noise
35 dB (Normal Mode)
28 dB (ECO Mode)

Security
Kensington®-style lock provision
Security anchor bar
Password protection function

Accessory

On Wall Cable Management Kit	ELPCK01
16:10 Height Adjustable Cart for Epson Ultra Short Throw Projectors	V12H457008
16:10 Height Adjustable Wall Mount for Epson Ultra Short Throw Projectors	V12H457010
Lock Box For Height Adjustable Cart	V12H457004
Rear Laptop and Keyboard Tray Accessories for Height Adjustable Cart	V12H457005
Side Laptop Tray Accessory for Height Adjustable Cart	V12H457006
DC-11 Document Camera	V12H377020
Quick Wireless Connection USB Key	V12H005M08
Wireless 802.11 b/g/n LAN Adapter	V12H306P11

BrightLink 455Wi Interactive
Table Mount from Copernicus
Contact Copernicus Education Products at **www.interaktable.com**, or **www.copernicused.com**

Packaging Specifications

BrightLink 455Wi
Dimensions: 14.5" x 19.0" x 6.1"
Weight: 51.9 lb

Pallet Information
Pallet Dimensions: 40" x 48" x 44.7" (W x D x H)
Pallet Weight: 364 lb
Units Per Pallet: 6 (2 units per layer)

Genuine Epson Lamp
Dimensions 6.3" x 5.6" x 5.6" (W x D x H)
Weight 0.8 lb
Master Carton
Dimensions 28.4" x 13.1" x 6.8" (W x D x H)
Weight 9.7 lb
Units Per Master Carton 10

Air Filter Set
Dimensions 3.9" x 4.9" x 1.2" (W x D x H)
Weight 0.1 lb
Master Carton
Dimensions 5.2" x 12.7" x 4.6" (W x D x H)
Weight 1.4 lb
Units Per Master Carton 10

Interactive Pen
Dimensions 2.2" x 7.6" x 1.3" (W x D x H)
Weight 0.1 lb
Master Carton
Dimensions 8.3" x 16.4" x 2.9" (W x D x H)
Weight 2.0 lb
Units Per Master Carton: 10

Support — The Epson Connection℠

Pre-sales support
U.S. and Canada 800-463-7766
Internet website www.epson.com

Service Programs

1-year Extended Exchange	EPPEXP1
1-year Extended Fast Turn Depot	EPPFTPA1
2-year Extended Fast Turn Depot	EPPFTPA2

Epson Road Service Program
PrivateLine® dedicated toll-free support
90-day limited lamp warranty

What's In The Box
BrightLink 455Wi interactive projector
Projector mount
Projector template sheet
Installation guide
Quick users guide
Power cable (5 m, 16.4')
USB A/B cable (5 m, 16.4')
Computer/VGA cable (4.5 m, 15')
User manual
Interactive driver
Interactive software
Network software
Projector remote control
Two (2) interactive pens
Pen tray
Four (4) AAA batteries (for interactive pens) + battery charger
Two (2) AA batteries (for remote)
PrivateLine support card
Epson Road Service program
Password protection sticker
TeamBoard Draw! software for Windows and Macintosh
Welcome tool kit



Product Name	Product Code	UPC
BrightLink Solo (IU-01)	V12H415020	0 10343 88078 8
BrightLink Solo with RM EasiTeach	V12H415020RM	0 10343 88107 5
Optional Accessories		
Interactive Pen (ELPPN02)	V12H442001	0 10343 88167 9
On-wall Cable Management Kit	ELPCK01	0 10343 87789 4

Specifications

Input/Output
I/F: USB Slave-A Type

Electrical
Power supply method: USB Bus
Power supply voltage: 5 V
Power consumption: 180 mA

Operating Temperature
41 º to 95 ºF (5 º to 35 ºC)

Storage Temperature
14° to 140 °F (10 º to 60 ºC)

Operating Altitude
0 to 7500'

Weight
Without wall plate: Approx. 3.2 lb
With long wall plate: Approx. 5.08 lb
With short wall plate: Approx. 3.97 lb

Dimensions (W x D x H)

Receiver unit: 41.4" x 4.7" x 3.5" (1051.6 x 120 x 88 mm)

Long wall plate: 19.0" x 0.6" x 2.8" (482.6 x 14.6 x 71.5 mm)

Short wall plate: 4.8" x 0.6" x 2.8" (120.8 x 14.6 x 71.5 mm)

Interactive Functions

Screen Size Support (min. — max.)
XGA (4:3) — 63" to 102"
WXGA (16:10) — 60" to 96"
Widescreen (16:9) — 58" to 93"

Technology
Infrared

Input Device
Digital infrared pen

PC Connection
USB

Multiple Input Support
No

Support — The Epson Connection

Pre-sales support
U.S. and Canada 800-463-7766
Internet website www.epson.com

Service Programs
Two-year limited warranty
Epson Road Service program
Epson PrivateLine dedicated toll-free support

What's In The Box
BrightLink Solo interactive module
Two (2) interactive pens
Pen tray
USB cable (attached)
Easy Interactive driver CD
User's guide CD
TeamBoard Draw CD
Long wall plate
Short wall plate
Wall plate cover
Cover caps
Four (4) AAA alkaline batteries
Four (4) AAA rechargeable NiMH batteries + battery charger
Quick Setup Guide
Registration cards
PrivateLine card





BrightLink Solo



Short Wall Plate



Long Wall Plate



Input Device

Digital infrared pen (two included)

Basic Software (included)

Easy Interactive Driver
Easy Interactive Tools (available from support site)
TeamBoard Draw! software

Educational Software (available)

RM EasiTeach Nextgen for Windows and Macintosh

Software and Computer Requirements

Easy Interactive Driver — Windows 2000 SP4 or later,
Windows XP SP2 or later (Home Edition/Professional),
Windows Vista (All editions except for Starter 32-bit only),
Windows 7 (32- or 64-bit), Mac OS X 10.3.x, 10.4.x, 10.5.x, 10.6.x

Educational Software Option (available)

RM EasiTeach — Windows 7 (32- or 64-bit), Windows Vista® (32-or 64-bit),
Windows XP SP3 (32-bit), Mac OS X 10.3.9 or later

Recommended Computer Requirements

Microsoft Windows

- Pentium® III 1.2 GHz
- 256MB RAM
- XP, Tablet XP service pack 2 or above, or Windows Vista, Windows 7
- One available USB port
- Ink Tools — Windows Vista, Windows 7 and Microsoft Office 2003 or above

Apple® Macintosh

- PowerPC® G3 9000 MHz or Intel® microprocessor, Intel® Core Duo 1.5 GHz
- 256MB RAM
- System software OS X 10.3.9 or later
- One available USB port

TeamBoard Draw Specifications

Minimum Requirements: Stand alone computers

Windows XP SP3 (32-bit), Windows Vista (32- or 64-bit)
or Windows 7 (32- or 64-bit), Quicktime player and Flash player installed
Intel Mac OS X 10.5x or later
Processor: 1.8 GHz
Memory: 512MB RAM (1GB Recommended)
Hard Drive Space: 600MB
Resolution: 1024 x 768

RM EasiTeach System Requirements

Microsoft Windows

Standalone computers using Windows XP SP3 (32-bit),
Windows Vista (32- or 64-bit) or Windows 7 (32- or 64-bit)

	Minimum	Recommended
Processor	1.8 GHz+	2.5 GHz+
Memory	512MB	1GB
Storage	100MB	700MB
Graphics card	64MB	256MB
Screen	1024 x 768	1024 x 768 or above

Apple Macintosh

- RM EasiTeach next generation 10.5 or later

1 Color and white light output will vary depending on mode selected. White light output measured using ISO 21118 standard.
2 When compared to BrightLink in native WXGA mode (16:10 aspect ratio).
3 Data source: ProjectorCentral.com, Jan. 2011. Average of 1038 shipping models, for which manufacturers provided lumens and total power data, all resolutions and brightness levels.
4 Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time.
5 See our website for convenient and reasonable recycling options at www.epson.com/recycle
6 SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency.

Maximum Image Size



16:10
Total Interactive Area: 4142 Sq. In.



16:9
Total Interactive Area: 3698.2 Sq. In.



4:3
Total Interactive Area: 3468 Sq. In.